4/8/22, 5:05 PM District Advisory



# Gramin Krishi Mausam Sewa District Level Agromet Advisory Bulletin Acharya N.G. Ranga Agriculture University



Lam, Guntur, Andhra Pradesh

# **Agromet Advisory Bulletin**

Date: 08-04-2022

Weather Forecast of District CHITTOOR(Andhra Pradesh) Issued On: 2022-04-08(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-04-09	2022-04-10	2022-04-11	2022-04-12	2022-04-13
Rainfall(mm)	2.0	2.0	0.0	0.0	0.0
Tmax(°C)	37.8	37.9	38.1	38.3	38.4
Tmin(°C)	24.0	24.1	24.3	24.4	24.3
RH-I(%)	71	70	72	73	74
RH-II(%)	40	39	38	39	42
Wind Speed(kmph)	5.0	5.0	5.0	5.0	5.0
Wind Direction(Degree)	120	140	140	140	140
Cloud Cover(Octa)	6	6	4	3	4

### **Weather Summary/Alert:**

Dry weather may prevail in the upcoming 5 days with maximum temp of 37-38°C and minimum temperature of 24-25°C.

#### **General Advisory:**

Farmers who are taking harvesting of rabi groundnut should take care that pods which are to be used for sowing purpose should be dried under sun until the moisture content is 9%.

## **SMS Advisory:**

To control leaf folder in paddy spray chlorpyriphos @ 2.5 ml./L or prophenophos @ 2 ml./L of water.

# **Crop Specific Advisory:**

Crop(Varieties)	Crop Specific Advisory				
GROUNDNUT	• Farmers who are taking harvesting of groundnut should take care that 70-80% of groundnut plant leaves, stems should turn yellow colour and inside of the pod shell might have turned black colour (Pods which are to be used for sowing purpose should be dried under sun until the moisture content is 9%. Harvested produce should be stored in gunny bags which are treated with malathion @ 5-10 ml/lt. of water and dried under sun).				
	• The present weather conditions are favourable for stem rot in paddy. To control spray tilt @ 1 ml (or) tebuconazole @ 1.5 ml./L of water.				
MAIZE	• The present weather conditions are favourable for fall army worm in maize and fodder maize. To control spray emamectin benzoate @ 5 SB @ 0.4 ml./L of water (or) chloranthrinilipole @ 0.4 ml./L of water by spraying directed on whorls.				

### **Horticulture Specific Advisory:**

4/8/22, 5:05 PM District Advisory

Horticulture(Varieties)	Horticulture Specific Advisory		
BRINJAL	To Control Fruit and shoot borer in brinjal, 1. Clip and destruct the affected		
	branches and fruits 2. Erect pheromone traps @ 4/ac. and observe the intensity of		
	the pest 3. Reduce the use of nitrogenous fertilizers and use potash fertilizers		
	compulsory 4. Spray spinosad @ 0.3ml/lt. or rynoxypyr @ 60ml/ac.		