



Gramin Krishi Mausam Sewa
District Level Agromet Advisory Bulletin
Acharya N.G. Ranga Agriculture University
 Lam, Guntur, Andhra Pradesh



Agromet Advisory Bulletin

Date : 06-10-2023

Weather Forecast of District CHITTOOR(Andhra Pradesh) Issued On : 2023-10-06(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-10-07	2023-10-08	2023-10-09	2023-10-10	2023-10-11
Rainfall(mm)	0.0	2.0	6.0	8.0	10.0
Tmax(°C)	34.3	33.9	33.7	33.4	33.6
Tmin(°C)	24.7	24.3	24.5	24.2	23.9
RH-I(%)	75	76	73	69	70
RH-II(%)	63	60	57	62	65
Wind Speed(kmph)	5	5	5	5	5
Wind Direction(Degree)	270	180	120	150	150
Cloud Cover(Octa)	4	3	2	4	4

Weather Summary/Alert:

Partially cloudy weather with light rainfall may prevail in the upcoming 5 days with maximum temp of 33-35°C and minimum temperature of 24-25°C.

General Advisory:

The present weather conditions are favourable for stem rot in groundnut. To control spray carbendizem @ 1 g. (or) hexaconazole @ 2 ml./L of water.

SMS Advisory:

The present weather conditions are favourable for stem borer and leaf folder in paddy. To control spray Chloripyriphos @ 2.5 ml (or) Cartaphydrochloride @ 2 g/L of water.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
GROUNDNUT	In late sown groundnut there is possibility of occurrence of Leaf spots and stem rot. To control spray mancozeb 400 g + carbendigem 200 g or hexaconazole 400 ml. in 200 L of water twice at an interval of 15 days.
RICE	• The present weather conditions are favourable for stem borer and leaf folder in paddy. To control spray Chloripyriphos @ 2.5 ml (or) Cartaphydrochloride @ 2 g/L of water. • The present weather conditions are favourable for rats in rice. To control apply 10-15g of bromodioline
Horticulture(Varieties)	poison baits made of 2% bromodioline + 96% paddy grains + 2% oil on live rat holes.
• In mango anthracnose leaf spot, black band disease and gummosis are likely to occur. To control apply any copper based fungicides along with 1% bordeaux paste after pruning the stems.	
• The present weather conditions are favourable for Leaf spot and powdery mildew in blackgram. To control spray mancozeb @ 2.5 g or chlorothalonil @ 2g or carbendizem @ 1 g or thiophanate methyl @ 1 g./L of water.	
BRINJAL	• The present weather conditions are favourable for Leaf eating caterpillars in vegetable crops. To control spray quinolphos 2 ml. or chloripyriphos 2.5 ml. /L of water.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
MANGO BLACK GRAM	<p>present conditions are favourable for rats in rice. To control apply 10-15g of bromodioline poison baits made of 2% bromodioline + 96% paddy grains + 2% oil on live rat holes.</p> <p>• In mango anthracnose leaf spot, black band disease and gummosis are likely to occur. To control apply any copper based fungicides along with 1% bordeaux paste after pruning the stems.</p> <p>• The present weather conditions are favourable for Leaf spot and powdery mildew in blackgram. To control spray mancozeb @ 2.5 g or chlorothalonil @ 2g or carbendizem @ 1 g or thiophanate methyl @ 1 g./L of water.</p>
BRINJAL Horticulture Specific Advisory:	<p>• The present weather conditions are favourable for Leaf eating caterpillars in vegetable crops. To control spray quinolphos 2 ml. or chloripyriphos 2.5 ml. /L of water.</p>