10/10/2023, 14:23 District Advisory



Gramin Krishi Mausam Sewa District Level Agromet Advisory Bulletin Acharya N.G. Ranga Agriculture University



Lam, Guntur, Andhra Pradesh

Agromet Advisory Bulletin

Date: 10-10-2023

Weather Forecast of District CHITTOOR(Andhra Pradesh) Issued On: 2023-10-10(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-10-11	2023-10-12	2023-10-13	2023-10-14	2023-10-15
Rainfall(mm)	10.0	4.0	0.0	0.0	0.0
Tmax(°C)	34.3	34.1	34.4	34.2	33.7
Tmin(°C)	24.1	24.5	24.4	24.3	24.8
RH-I(%)	80	81	77	78	80
RH-II(%)	65	61	62	59	58
Wind Speed(kmph)	8	9	8	9	8
Wind Direction(Degree)	180	120	120	120	120
Cloud Cover(Octa)	2	3	2	3	2

Weather Summary/Alert:

Partially cloudy weather with light rainfall may prevail in the upcoming 5 days with maximum temp of 34-35°C and minimum temperature of 24-25°C.

General Advisory:

The present weather conditions are favourable for stem rot in groundnut. To control spray carbendizem @ 1 g. (or) hexaconazole @ 2 ml./L of water.

SMS Advisory:

As there is rain forecast and cloudy weather farmers are advised to protect the crop on the threshing floors with polythene sheets after harvest.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory					
GROUNDNUT	• Farmers who are taking harvesting of groundnut should take care that harvesting should be done in rain free days and Pods which are to be used for sowing purpose should be dried under sun until the moisture content is 9%. Harvested produce should be stored in gunny bags.					
	• The present weather conditions are favourable for stem borer and leaf folder in paddy. To					
Harficulture(Varanties) spray Chloripyriphos @ 2 ft or the Cartesphydrachlaride @ 2 g/L of water. • The						
MANGO BLACK	present conditions are layoutable for tals in fice—to control apply 10-15g of bromodioline of As there is rain to recast in the coming five days, after receipt of rains mango poison batts made of 2% bromodiolin + 96% paddy grains + 2% oil on live rat holes. farmers are advised to apply 1 kg N: 2 kg P: 1 kg K for the trees below 10 years The place brown being a properly and the place of th					
CD 43.6	blackgrant. To control spray maneozeb @2.5 g or chlorothalonil @ 2g or carbendizem @ 1 g or this phenate methyl @ 1 g /L of water. g or this phenate methyl @ 1 g /L of water.					
Horticulture Spe TOMATO	control spray DM-45 @ 3 g./L (or) carbendigem @ 1 g./L of water.					

10/10/2023, 14:23 District Advisory

Horticulture(Varieties)	spray Chloripyriphos @ 2 nm (or) Cartephyrical Original 2 g/L of water. • The
MANGO BLACK GRAM BRINJAL	present poison • The pr	**As there is rain forecast in the comining tive days, after receipt of rains mange as there is rain forecast in the comining tive days, after receipt of rains mange at the comining tive days, after receipt of rains mange at the receipt of rains mange at the receipt of rains mange at the receipt of rains and powders, and the receipt of rains are advised to apply 1 kg N; 2 kg P; 1 kg K for the trees below 10 years agen; byte the receipt of the trees below 10 years agen; byte the receipt of the rec
	Specific A	water. With present weather conditions are favourable for fungal diseases in tomato. To control spray DM-45 @ 3 g./L (or) carbendigem @ 1 g./L of water.