15/12/2023, 15:14 District Advisory



# Gramin Krishi Mausam Sewa District Level Agromet Advisory Bulletin Acharya N.G. Ranga Agriculture University



Lam, Guntur, Andhra Pradesh

# **Agromet Advisory Bulletin**

Date: 15-12-2023

Weather Forecast of District CHITTOOR(Andhra Pradesh) Issued On: 2023-12-15(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-12-16	2023-12-17	2023-12-18	2023-12-19	2023-12-20
Rainfall(mm)	1.0	1.0	1.0	1.0	1.0
Tmax(°C)	28.0	28.2	27.9	27.6	27.5
Tmin(°C)	19.6	19.8	19.5	19.2	18.8
RH-I(%)	87	88	90	90	88
RH-II(%)	72	75	78	75	76
Wind Speed(kmph)	3	5	6	5	4
Wind Direction(Degree)	75	80	85	90	90
Cloud Cover(Octa)	4	5	4	4	4

### **Weather Summary/Alert:**

Partially cloudy weather with very light rainfall may prevail in the upcoming 5 days with maximum temp of 27-28°C and minimum temperature of 18-20°C.

## **General Advisory:**

In view of fruit fly in guava, pomegranate and tomato farmers are advised to erect methyl ujanol traps @ 6-8/ac.

### **SMS Advisory:**

The present weather conditions are favourable for blast in paddy. To control spray beem @ 0.6 ml./L of water.

### **Crop Specific Advisory:**

Crop(Varieties)	Crop Specific Advisory
GROUNDNUT	• For groundnut sowing farmers, Compulsory seed treatment is advised with imidachloprid 600 F.S @ 2 ml. + 4 ml. water per kg of seed followed by tebuconazole @ 1 g./kg seed. • Use 60-70 kg per acre and maintain the spacing of 22.5 cm between the rows and 10 cm between the plants, so as to maintain plant population of 44 plants/sq.mt.
RICE	• The present weather conditions are favourable for leaf folder in paddy. To control spray cartaphydrochloride @ 2 g (or) acephate @ 1.5 ml./L of water • Due to low temperatures and dew fall the present weather conditions are favourable for blast in paddy. To control spray tricyclazole @ 0.6 ml./L of water. • Farmers who are taking up paddy transplantings are advised to leave 20 cm pathways for every 2 m of transplanted crop for better aeration and light penetration.
BLACK GRAM	• The present weather conditions are favourable for flea beetles in blackgram. To control spray chloripyriphos @ 2.5 ml./L of water. • The present weather conditions are favourable for corinospora leaf spot in blackgram To control spray hexaconazole @ 2 ml. (or) propiconazole @ 1 ml./L of water.

## **Horticulture Specific Advisory:**

Horticulture(Varieties)	Horticulture Specific Advisory			
IIV/I /V IVI ( ±( )	• In view of flower initiation in mango farmers are advised to spray potassium nitrate @ 10 g. + Formula-4 @ 5g./l of water.			